FAX: 9727477375

Group Art Unit: 1615

Examiner: Lakshmi S. Channavajjala

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an

envelope addressed to: Assistant Commissioner for Patents,

Washington, D.C. 20231 on

Signature of person mailing paper

Docket No. PHUS-7

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re BROADENING REISSUE patent application of:

FAOUR, J. et al.

Serial No.: 10/004,772 Filed: 12/03/2001

Based Upon:

Patent No.: 6,004,582 Issued: December 21, 1999

Application Serial No.: 09/086,871

Filed: May 29, 1998

For: Multi-layered osmotic device

BOX AMENDMENT

Assistant Commissioner for Patents

Washington, DC 20231

Sir:

Transmitted herewith for filing are:

X Amendment (including Amendments to the Claims)

<u>X</u> Check: \$252.00 in payment of the extra claim fee.

<u>X</u> Return Postcard.

The extra claim fee has been calculated as shown below:

FOR	No. of Claims	No. Prev. Paid	Extra	Rate	LARGE ENTITY FEE
Total Claims	121	123	-0-	x \$18.00	\$0.00
Independent Claims	8	5	3	x \$84.00	\$252.00
				TOTAL	\$252.00

A copy of this transmittal is enclosed.

Respectfully submitted,

Date: Innovar, L.L.C.

P.O. Box 250647

Plano, TX 75025-0647 Ph.: 972-747-7373

Fax: 972-747-7375

Rick Matos, Ph.D. (Customer No. 24039)

Registration No. 40,082 Agent for Applicant

Email: innovarllc@shcglobal.net

1	Excite stal	
	IN OVAR, L.L.C. (TRUST)	2909
	P. O. BOX 250647 PLANQ, TX. 75025-0647 Date 4/4/3	88-744/1119
	Pay to the Act to the Mannes of At 1	742
0 4	Order of ASSENCENT Commissioner In Patents \$ 252.	Ü
Joh		Secondy (comme) out rectangle Debre on Barry
1 1	Compass Bank/	
K	For PHUS-7 10/04:772	
Man.	1.110000	MP.
My M	1:1119074451: 7535386311 2909	
1/200	' '	
By Whigh	•	
	Jim Alan I Imited States Date	+

The following documents were received in the United States Patent and Trademark Office on the date stamped below: 1) return postcard; 2) check (\$252); 3) Response; 4) Fee transmittal.

Docket No.: PHUS-7 Date Mailed: April 4, 2003

FAX: 9727477375





Innovar, L.L.C.

INNOVATIVE PATENTS AND TECHNOLOGIES P.O. Box 250647 Plano, TX 75025-0647 (972) 747-7373 FAX (972) 747-7375 INNOVARLLC@SBCGLOBAL.NET

Worldwide Patent Prosecution

Patent Management -

Technology Consulting

www.lnnovarLLC.com

FAX TRANSMISSION

June 3, 2003

										
NUMBER OF PAGE(S) (Including Cover Sheet): 17										
<u>Name</u>		Company Name	<u>Facsimil</u>	le Number	Company Number					
Ex. Lakshmi S. Channavajjala		U.S. Patent and Trademark Office	and Trademark 703-746-5215		703-308-308-2438					
FROM:	Rick Matos	РН	ONE: (9'	72) 747-7373	FAX:	(972) 747-7375				
RE:	APPLICANTS: FAOUR ET AL. APPLICATION SERIAL NO.: 10/004,772 FILING DATE: 12/03/01 TITLE: Multi-layered osmotic device									
		Commental								
Comments/Special Instructions OFFICIAL COMMUNICATION										
Copy of amendment mailed April 4, 2003. Corresponding check has already been cleared by USPTO.										
PLEASE	FORWARD TI	HE ATTACHED COMM	UNICATION	ON TO EXAMINER	ı					
	ATTER NO.:	PHUS-7								
USER ID:	01	SEC	RETARY:	км	EXT:	7374				
Return f	fax via Interoffice M	fail Hold fax	for pickup	Fax Operator Verification:						
CERTIFICATE OF FACSIMILE TRANSMISSION The undersigned hereby certifies that this paper is being transmitted to the Patent and Trademark Office on the date shown below.										
Date: <u>June</u>	e 3, 2003 Nan	ne: <u>Rick Matos</u> Si	nature: _	The Illa	HS)_					

The information contained in this facsimile message is privileged and confidential, intended only for the use of the individual or entity named above. If the reader of this message is not the intended recipient, or the employee or agent responsible to deliver it to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone, and return the original message to us at the above address via the U.S. Postal Service.